

Fitn*ex*



INTERNATIONAL
3F28, No. 5, Shin-Yi Rd., Sec. 5, Taipei ,Taiwan110
Tel:+886-2-2720-9980
Fax:+886-2-2722-9750
E-mail:joong@ms13.hinet.net
<http://www.steelflexfitness.com>

USA:Fitness Master Inc.
11419 Mathis #200, Farmers Branch, TX75234
Tel:214-350-8884
Fax:214-350-8876
Toll Free:1-866-4fitnEX
E-mail:info@fitnEXonline.com
<http://www.fmiamerica.com>

CHINA:
Steelflex Fitness Equipment Trade Co.,Ltd (Shanghai)
Room 1208 No.500 Chengdu North Rd, Shanghai,China
Tel:+0086-021-63514782 / +0086-021-63514785
<http://www.steelflex.com.cn>
© 2015 FitnEX Fitness. All Rights Reserved.

Fitn*ex*
2015 PRODUCT CATALOG



Get your Fitnex on! CONTENTS

- 02 – Superior Fitness Organization
- 03 – Our Company History
- 04 – About Fitnex Fitness
- 05 – Fitnex Service Assurance
- 06 – Fitnex Treadmills
- 10 – Fitnex Exercise Bikes
- 13 – Fitnex Ellipticals
- 15 – Fitnex Indoor Cycling Bikes
- 17 – Kids Fitness
- 20 – Fitnex Product Specifications

Get your Fitnex on!

Superior Fitness Organization

Joong Chenn Industry was established in 1983 and has been manufacturing high quality strength and cardio equipment for many years.

Joong Chenn also has state-of-the-art R&D department with highly qualified engineers that contribute to a continued progress in innovation and development of top quality products. Our products are sold over 100 countries with over 130 distributors worldwide. We continue as a company to move into the future.

Our Company History

- 1980 - Renda Enterprise was found, producing free weight products based on OEM/ODM
- 1983 - Joong Chenn Industry Co., Ltd. was established. Main products are Dumbbells and weight products.
- 1985 - Started our own brand of weight products "WECK".
- 1991 - Joint venture with BODY SOLID and developing Home Gym and Bench Selling products worldwide via "BODY SOLID" brand.
- 1993 - New factory built in Nantou; main products are Home Gym and Bench.
- 1998 - To supply the complete series of products, developing the cardio products such as treadmill and bicycle. The National Athletic Sports in Taiwan selected JCI as their free weight training equipment.
- 2000 - Second new factory built in Nantou, main production are Home Gym, Treadmill and Bicycle. China factory built in April and mainly produces Home Gym products.
- 2001 - Body Solid G1S received the award of from American's consumer reporting magazines.
- 2002 - ISO certified and created own brand "STEELFLEX".
- 2003 - Created own brand "Fitnex" and received the award of "It's very well made in Taiwan" and "TSMA award".
- 2004 - Established the new sales department "SBU" in Shanghai.
- 2005 - E70 Received "Taiwan Sporting Goods Manufacturers Award".
- 2013 - T70 has met the requirements for R&D / innovation design and quality systems and awarded the prize of "21th Taiwan Excellence Award"



About Fitnex

The Fitnex brand of cardio products are combined with personal features for a healthy and safe workout. Our Fitnex products achieve brand recognition for a wide variety of media campaigns. Decades of experience and thousands of design & engineering hours go into our products making them durable and built with value for each user. Our dedication to each design shows in every product we make, we design/build for your enjoyment of a healthy lifestyle.



Fitnex Service Assurance

Joong Chenn is dedicated to manufacturing the highest quality equipment and will continue to develop innovative and patent-protected products. Fitnex products are sold in more than 100 countries worldwide. Our commitment to our customers is achieved with a confidence in knowing that we will provide the highest satisfaction of service while producing the highest quality of products. The end result is a product designed to improve your health and everyday quality of life.



Get your Fitnex on!

Fitnex Treadmills

Fitnex Treadmills



T70A

Console Type : White Backlight LCD Display
Elevation : 0%~15%
Speed Range : 0.8~20KPH (0.5~12.5MPH)
Motor : 4 HP AC motor



T70

Console Type : White Backlight LCD Display
Elevation : 0%~15%
Speed Range : 0.8~20KPH (0.5~12.5MPH)
Motor : 4 HP DC motor



T60

Console Type : 3-window LED Display
Elevation : 0%~15%
Speed Range : 0.5~10 MPH (0.8~16 KPH)
Motor : 3.0 HP DC Motor



Fitnex Treadmills



TF55

Console Type : 3-window LED Display
Elevation : 0%~15%
Speed Range : 0.5~10MPH (0.8~16 KPH)
Motor : 3.0 HP DC Motor



Fitnex Treadmills



TF₂₅



Console Type : 3 LED display windows
Elevation : 0%~15%
Speed Range : 0.6~10 MPH (1~16 KPH)
Motor : 2.5 HP DC motor



TF₂₀



Console Type : White backlight LCD
Elevation : 0%~15%
Speed Range : 0.5~10MPH (0.8~16KPH)
Motor : 2 HP DC motor

Get your Fitnex on!

Fitnex Exercise Bikes

10



Fitnex Upright Bikes



B70

Console Type : Matrix LED
Resistance Levels : 16
Power Requirement : Self-generated



B55SG

Console Type : 1 LCD Display with White Backlight.
Resistance Levels : 16
Power Requirement : Self-generated



Fitnex Recumbent Bikes



R70S

Console Type : Matrix LED
Resistance Levels : 16
Power Requirement : Self-generated



R55SG

Console Type : 1 LCD Display with White Backlight.
Resistance Levels : 16
Power Requirement : Self-generated



Get your Fitnex on!
Fitnex Ellipticals

13



E 70

Console Type : Matrix LED
Resistance Levels : 16
Power Requirement : Self-generated
Stride Length : 48 cm / 19"



E 55SG

Console Type : 1 LCD Display with White Backlight.
Resistance Levels : 16
Power Requirement : Self-generated
Stride Length : 51 cm / 20"



Note: All specifications are subject to change without notice. Actual products may differ from pictures in this catalog.



X70

Flywheel : 46 lbs / 21kg
Dimensions(L×W×H) : 103 × 51 × 97 cm
/ 41" × 20" × 38"



X Momentum

Flywheel : 40lbs / 18kg
Dimensions(L×W×H) : 109 × 55 × 103 cm
/ 43" × 22" × 40.5"



X20

Flywheel : 40lbs / 18kg
Dimensions(L×W×H) : 122 × 55 × 133cm
/ 48" × 22" × 52"



Kids Fitness
Get your Fitnex on!



Treadmill XT5
Console Type : 4-window LED display
Elevation: 0%~12%
Speed Range: 0.8~16KPH (0.5~10MPH)
Motor: 2.0 HP DC motor



Upright Bike XB5
Console Type : 1 window LCD Display
Resistance Levels : 15
Power Requirement: 2*AA size batteries
for LCD display only



Stepper XST5
Console Type : 1 window LCD Display
Resistance Levels : 15
Power Requirement: 2*AA size batteries
for LCD display only



Indoor Cycling Bike X5

Flywheel : 15lbs / 7kg
Dimensions(L×W×H) : 82 × 51 × 82 cm / 32" × 20" × 32"

Kids Fitness



Elliptical XE5

Console Type : 1 window LCD Display
Resistance Levels : 15
Stride Length : 46 cm / 18"

Get your Fitnex on!

Fitnex Product Specifications

20

Treadmill Specifications

	T 70A	T 70	T 60
Product Name			
Special Features	Unique Button Design, Dual-Water Bottle Holder, Large Monitor Frame Rack (Optional)	Unique button design, dual water bottle holder	Dual water bottle holder
Display	White Backlight LCD Display with Blue Background	White Backlight LCD Display with Blue Background	Profile Matrix LED display, 3-window LED display, scrolling message center
Display Feedback	Distance, Speed, Time, Calories, Pulse, Incline, Level, Program	Distance, Speed, Time, Calories, Pulse, Incline, Level, Program	Elevation, Heart Rate, Time, Calories, Speed, Distance
Programs	Total programs (13) Manual (1), Classic(3), H.R.C(1), Training (5), Goal (3)	Total programs (13) Manual (1), Classic(3), H.R.C(1), Training (5), Goal (3)	Total programs (13) Custom Learn(I&II)(2), Set Time(1), Set Calories(1), Set Distance(1), Manual(1), Walking Courses(1), Running Courses(1), Cardio(1), Fat Burning(1), Endurance(1), Interval(1), Heart Rate Control (1)
Quick Keys	Speed: WALK, JOG, RUN Elevation: LEVEL, RISE, ASCEND	Speed: WALK, JOG, RUN Elevation: LEVEL, RISE, ASCEND	Speed 1~10
Speed Range	0.8~20KPH / 0.5~12.5MPH	0.8~20KPH / 0.5~12.5MPH	0.5~10MPH / 0.8~16KPH
Incline Range	0%~15%(1000 lbs / 454 kg Thrust Motor)	0%~15%(1000 lbs / 454 kg Thrust Motor)	0~15% (700 lbs / 318 kg Thrust Motor)
Heart Rate Monitor	Wireless and Contact Grips	Wireless and Contact Grips	Wireless and Contact Grips
Motor System	4 HP AC Motor with AC Frequency Conversion	4 HP DC motor with PWM System	3.0 HP Continuous Duty DC Drive Motor with PWM System
Cushion System	8-Point Elastomer Cushioning System	8-Point Elastomer Cushioning System	8-Point Elastomer Cushioning System
Rollers	Precision Mode 60 mm (2.4")	Precision Mode 60 mm (2.4")	Precision Mode 60 mm (2.4")
Deck	25.4 mm (1")	25.4 mm (1")	26 mm
Step-on Height	18 cm / 7"	18 cm / 7"	26 cm / 10"
Belt Type	2-Ply Urethane High Density Conductive / 1.6 mm	2-Ply Urethane High Density Conductive / 1.6 mm	2-Ply Urethane High Density Conductive / 1.6 mm
Power Requirements	110V / 220V	110V / 220V	110V / 220V
Running Area	157.5 × 56cm / 62" × 22"	157.5 × 56cm / 62" × 22"	152 × 49.5cm / 60" × 19.5"
Dimensions(L×W×H)	209 × 88 × 154 cm / 82" × 35" × 61"	209 × 88 × 149 cm / 82" × 35" × 59"	207 × 88 × 149.5 cm / 81" × 34" × 59"
Product Weight	285 lbs / 129.5 kg	285 lbs / 129.5 kg	255 lbs / 116 kg
Max.User Weight	400lbs / 180 kg	400lbs / 180 kg	350lbs / 160kg

Treadmill Specifications

	TF 55	TF 20	TF 25
Product Name			
Special Features	Dual water bottle holder	Dual water bottle holder, foldable	Dual water bottle holder, foldable
Display	Profile matrix LED display, 3-window LED display, scrolling message center	White backlight LCD	3 LED display windows
Display Feedback	Elevation, Heart Rate, Time, Calories, Speed, Distance	Incline, Speed, Time, Calories, Heart Rate ,Distance	Incline, Speed, Time, Calories, Heart Rate ,Distance
Programs	Total programs (13) Custom Learn(I&II)(2),Set Time(1),Set Cories(1),Set Distance(1), Manual(1), Walking Courses(1), Running Courses(1), Cardio(1), Fat Burning(1), Endurance(1), Interval(1), Heart Rate Control (1)	Pre-set P1~15/Customer U1~U3 / FAT	Pre-set P1~20 / Customer U1~U3 / FAT
Quick Keys	Speed 1~10	Speed: 3.5, 5.5, 7 Elevation: 5 , 8 , 12	Speed: 3, 6 , 9 , 12 Elevation: 3, 6 , 9 , 12
Speed Range	0.5~10MPH / 0.8~16KPH	0.5~10MPH / 0.8~16KPH	0.6~10 MPH / 1~16KPH
Incline Range	0~15% (700 lbs / 318 kg Thrust Motor)	0~15% (L0~15)	0~15% (L0~L15)
Heart Rate Monitor	Wireless and Contact Grips	Contact Grips	Contact Grips
Motor System	3.0 HP Continuous Duty DC Drive Motor with PWM System	2 HP DC Motor with PWM System	2.5 HP DC motor with PWM System
Cushion System	8-Point Elastomer Cushioning System	8-Point Elastomer Cushioning System	8-Point Elastomer Cushioning System
Rollers	Precision Mode 60 mm (2.4")	Precision Mode 47 mm (1.85")	Precision Mode 60mm (2")
Deck	26 mm	16 mm	16mm
Step-on Height	20 cm / 8"	13 cm / 5"	13 cm / 5"
Belt Type	2-Ply Urethane High Density Conductive / 1.6 mm	High Density Conductive / 1.6 mm	High Density Conductive / 1.6 mm
Power Requirements	110V / 220V	110V / 220V	110V / 220V
Running Area	135 × 50cm / 53" × 20"	135 × 44 cm / 53" × 17"	130 × 46 cm / 51"×18"
Dimensions(L×W×H)	187.5 × 88 × 139.5 cm / 74" × 35" × 55"	174 × 72 × 131 cm / 68.5" × 28" × 52"	171 × 75 × 142.5 cm / 67" × 30" × 56"
Product Weight	227 lbs / 103 kg	143 lbs / 65 kg	169 lbs / 77 kg
Max.User Weight	300lbs/136kg	264lbs / 120kg	286lbs / 130 kg

Treadmill Specifications

XT 5 (Kids)



Product Name

Special Features	Water Bottle Rack
Display	4-window LED display
Display Feedback	Distance, Speed, Time, Calories, Heart Rate, Incline, LAPS
Programs	Total programs (5) Manual, Cardio, Fat Burn, Endurance, Interval.
Quick Keys	N/A
Speed Range	0.8~16 KPH (0.5~10MPH)
Incline Range	0% - 12%
Heart Rate Monitor	Wireless and Contact Grips
Motor System	2.0 HP Continuous Duty DC Motor
Cushion System	6-Point Elastomer Cushioning System
Rollers	Precision Mode 50mm (2")
Deck	18 mm
Step-on Height	16 cm / 6"
Belt Type	High Density Conductive / 1.6 mm
Power Requirements	110V / 220V
Running Area	130 × 45.5 cm / 52" × 18"
Dimensions(L×W×H)	162 × 87 × 124cm / 63" × 34" × 49"
Product Weight	152 lbs / 69 kg
Max.User Weight	220lbs /100kg

Exercise Bike Specifications

B 70



Product Name

Special Features	Integrated water bottle holder with accessory storage, towel rack
Display	4-window with Dot Matrix LED Display
Display Feedback	Time, Distance, RPM, Heart Rate, Work Level, Watt, Speed, Calories
Programs	Total programs (11) Manual, Heart Rate Control (HR-Weight Loss, HR-Interval,HR-Fat Burn,HR-CV workout), Random, Interval, Weight Loss, CV Workout, Fat Burn, Rolling
Tension Control	Program Control
Resistance Levels	16
Resistance System	ECB Resistance
Power Requirements	Self-generated
Watt	250 Watts
Pedals	Self-balancing with easy adjust straps
Fore / Aft Seat Adjustments	N/A
Vertical Seat Adjustments	14
Transport Wheels	Yes
Heart Rate Monitor	Wireless and Contact Grips
Max. User Weight	400 lbs / 180 kg
Product Weight	117 lbs / 53 kg
Dimensions(L×W×H)	106 × 65 × 138 cm / 42" × 25" × 54"

B 55SG



Product Name

Special Features	Integrated water bottle holder with accessory storage, towel rack
Display	1 LCD Display with White Backlight.
Display Feedback	Time, Distance, RPM, Pulse, Level, Watt, Speed, Calories.
Programs	Total programs (22) P1~P12, Recovery(1), User(4), HRC(4), Watt Control(1)
Tension Control	Program Control
Resistance Levels	16
Resistance System	ECB Resistance
Power Requirements	Self-generated
Watt	250 Watts
Pedals	Self-balancing with easy adjust straps
Fore / Aft Seat Adjustments	N/A
Vertical Seat Adjustments	14
Transport Wheels	Yes
Heart Rate Monitor	Wireless and Contact Grips
Max. User Weight	300 lbs / 135 kg
Product Weight	80 lbs / 36.5 kg
Dimensions(L×W×H)	105 × 60 × 142 cm / 41" × 24" × 56"

Exercise Bike Specifications

R 70S



Product Name

Special Features	Integrated water bottle holder with accessory storage, towel rack
Display	4-window with Dot Matrix LED Display.
Display Feedback	Time, Distance, Heart Rate, Level, Watt, RPM, Speed, Calories
Programs	Total programs (11) Manual, Interval, Fat burn, Random, Heart Rate Control(HR-Weight Loss, HR-Interval,HR-Fat Burn,HR-CV Workout), Rolling, Weight Loss, CV Workout
Tension Control	Program Control
Resistance Levels	16
Resistance System	ECB Resistance
Power Requirements	Self-generated
Watt	250 Watts
Pedals	Self-balancing with easy adjust straps
Fore / Aft Seat Adjustments	Slider seat rail system with quick and easy lever adjustment
Vertical Seat Adjustments	N/A
Transport Wheels	Yes
Heart Rate Monitor	Wireless and Contact Grips
Max. User Weight	400 lbs / 180 kg
Product Weight	154 lbs / 70 kg
Dimensions(L×W×H)	178.5 × 79 × 112 cm / 70" × 31" × 44"

R 55SG



Product Name

Special Features	Integrated water bottle holder with accessory storage, towel rack
Display	1 LCD Display with White Backlight.
Display Feedback	Time, Distance, RPM, Pulse, Level, Watt, Speed, Calories.
Programs	Total programs (22) P1~P12/Recovery(1)/User(4)/HRC(4) /Watt Control(1)
Tension Control	Program Control
Resistance Levels	16
Resistance System	ECB Resistance
Power Requirements	Self-generated
Watt	250 Watts
Pedals	Self-balancing with easy adjust straps
Fore / Aft Seat Adjustments	Slider seat rail system with quick and easy lever adjustment
Vertical Seat Adjustments	N/A
Transport Wheels	Yes
Heart Rate Monitor	Wireless and Contact Grips
Max. User Weight	300 lbs / 135 kg
Product Weight	99 lbs / 45 kg
Dimensions(L×W×H)	150 × 69 × 112 cm / 59" × 27" × 44"

Exercise Bike Specifications

XB 5 (Kids)

Product Name	
Special Features	Integrated Water Bottle Holder With Accessory Storage
Display	1 Window LCD Display
Display Feedback	Time, Speed , Distance, Calories, Pulse
Programs	N/A
Tension Control	Adjustable Tension Knob
Resistance Levels	15
Resistance System	Non Wear Magnetic Resistance
Power Requirements	2*AA size batteries for LCD display only
Watt	250 Watts
Pedals	Self-balancing with easy adjust straps
Fore / Aft Seat Adjustments	N/A
Vertical Seat Adjustments	12
Transport Wheels	Yes
Heart Rate Monitor	Contact Grips
Max. User Weight	220 lbs / 100 kg
Product Weight	68 lbs / 31 kg
Dimensions(L×W×H)	102.5×58.5×122cm / 40"×23"×48"

Elliptical Specifications

E 70

Product Name	
Special Features	Water bottle rack, towel rack
Display	4-window with Dot Matrix LED Display
Display Feedback	Time, Distance, RPM, Heart Rate, Work Level, Watt, Speed, Calories
Programs	Total programs (11) Manual, Weight loss, Fat burn, Interval, Rolling, CV Workout, Random, Heart Rate Control (HR-Weight Loss,HR-Interval, HR-Fat Burn,HR-CV Workout)
Tension Control	Program Control
Resistance Levels	16
Resistance System	ECB Resistance
Power Requirements	Self-generated
Watt	30~250 Watts
Stride Length	48 cm / 19"
Transport Wheels	Yes
Heart Rate Monitor	Wireless and Contact Grips
Max. User Weight	400 lbs / 180 kg
Product Weight	220 lbs / 100 kg
Dimensions(L×W×H)	222 × 65.5 × 168 cm / 87" × 26" × 66"

Elliptical Specifications

E 55SGXE 5 (Kids)

Product Name		
Special Features	Integrated water bottle holder with accessory storage	Water bottle rack, towel rack
Display	1 LCD Display with White Backlight	1 window LCD Display
Display Feedback	Time, Distance, RPM, Pulse, Level, Watt, Speed, Calories	Time, Calories, Distance, Speed, Scan Function
Programs	Total programs (22) P1~P12, Recovery(1), User(4), HRC(4), Watt Control(1)	N/A
Tension Control	Program Control	Self adjust level control
Resistance Levels	16	15
Resistance System	ECB Resistance	Easy Adjustment Knob
Power Requirements	Self-generated	2AA size batteris for LCD display only
Watt	250 Watts	N/A (7 kg one piece steel flywheel)
Stride Length	51 cm / 20"	46 cm / 18"
Transport Wheels	Yes	Yes
Heart Rate Monitor	Wireless and Contact Grips	N/A
Max. User Weight	300 lbs / 135 kg	250 lbs / 113 kg
Product Weight	145 lbs / 66 kg	152 lbs / 69 kg
Dimensions(L×W×H)	162 × 68 × 159 cm / 64" × 27" × 63"	158 × 56.5 × 148 cm / 62" × 22" × 58"

Stepper Specifications

XST 5 (Kids)

Product Name	
Special Features	Water Bottle Holder, MultiGrip Handlebars
Display	1 Window LCD Display
Display Feedback	Time,Count,Total Count,Calories,Pulse
Programs	N/A
Tension Control	Adjustable Tension Knob
Resistance Levels	15
Resistance System	Non Wear Magnetic Resistance
Power Requirements	2*AA size batteries for LCD display only
Watt	250W
Drive System	Strap
Transport Wheels	Yes
Fore/Aft Levelers	Yes
Pedal Size	29 ×18 cm (11" × 7")
Step Up Height	42.5 cm /17"(Footplate at highest position)
Distance Between Pedals	8cm / 3"
Step Range	36cm / 14"
Heart Rate Monitor	Contact Grips
Max. User Weight	400Lb / 180Kg
Product Weight	153 lbs / 69.5 kg
Dimensions(L×W×H)	120.5 × 83 × 161cm / 47" × 33" × 63"

Indoor Cycling Bike Specifications

X 70			X Momentum		
					
Product Name					
Mainframe	Heavy gauge frame 40 × 80 × 2T oval tubing		Heavy gauge frame 40 × 80 × 2T oval tubing		
Flywheel	46 lbs / 21 kg one piece steel flywheel		40 lbs / 18 kg one piece steel flywheel		
Post	Aluminum seat and handle post		Chrome seat and handle post		
Drive System	Durable grooved V-belt transmission system		Durable grooved V-belt transmission system		
Resistance & Break System	Unlimited knob of tension adjustment with quick stop break system		Unlimited knob of tension adjustment with quick stop break system		
Bearing	One-piece mega-bearing set		One-piece mega-bearing set		
Transport Wheels	Yes		Yes		
Crank	3 pieces professional cranks.		3 pieces professional cranks.		
Seat Adjustments	20 directions seat adjustment suitable for the user who is between 145cm~200cm		15 directions seat adjustment suitable for the user who is between 145cm~200cm		
Seat Pad	Professional pressure-relieving hollow seat pad.		Professional pressure-relieving hollow seat pad.		
Max. User Weight	275 lbs / 125 kg		265 lbs / 120 kg		
Product Weight	123 lbs / 56 kg		125 lbs / 57 kg		
Dimensions(L×W×H)	103 × 51 × 97 cm / 41" × 20" × 38"		109 × 55 × 103 cm / 43" × 22" × 40.5"		

Indoor Cycling Bike Specifications

X 20			X 5 (Kids)		
					
Product Name					
Mainframe	Heavy gauge frame 40 × 80 × 2T oval tubing		Heavy gauge frame 30 × 70 × 2T oval tubing		
Flywheel	40 lbs / 18 kg one piece steel fly wheel		15 lbs / 7 kg (Free-wheeling)		
Post	Chrome seat and handle post		Chrome seat and handle post		
Drive System	Belt transmission system		Durable grooved V-belt transmission system		
Resistance & Break System	Unlimited knob of tension adjustment with quick stop break system		Unlimited knob of tension adjustment with quick stop break system		
Bearing	One-piece mega-bearing set		One-piece mega-bearing set		
Transport Wheels	Yes		Yes		
Crank	3 pieces professional cranks.		3 pieces professional cranks.		
Seat Adjustments	4 directions seat adjustment suitable for the user who is between 145cm~200cm		12 directions seat adjustment suitable for the user who is between 100cm~160cm		
Seat Pad	Professional pressure-relieving hollow seat pad.		Professional pressure-relieving hollow seat pad.		
Max. User Weight	275 lbs / 125 kg		250 lbs / 113 kg		
Product Weight	95 lbs / 43 kg		68 lbs / 31 kg		
Dimensions(L×W×H)	122 × 55 × 133 cm / 48" × 22" × 52"		82 × 51 × 82 cm / 32" × 20" × 32"		

NOTE.

Fitnex

Get your Fitnex on!

Fitnex

